



SplitGuard: Detecting and Mitigating Training-Hijacking Attacks in Split Learning

Ege Erdoğan
Koç University
İstanbul, Turkey
eerdogan17@ku.edu.tr

Alptekin Küpçü
Koç University
İstanbul, Turkey
akupcu@ku.edu.tr

A. Ercüment Çiçek
Bilkent University
Ankara, Turkey
cicek@cs.bilkent.edu.tr

ABSTRACT

Distributed deep learning frameworks such as *split learning* provide great benefits with regards to the computational cost of training deep neural networks and the privacy-aware utilization of the collective data of a group of data-holders. Split learning, in particular, achieves this goal by dividing a neural network between a client and a server so that the client computes the initial set of layers, and the server computes the rest. However, this method introduces a unique attack vector for a malicious server attempting to steal the client's private data: the server can direct the client model towards learning any task of its choice, e.g. towards outputting easily invertible values. With a concrete example already proposed (Pasquini et al., CCS '21), such *training-hijacking* attacks present a significant risk for the data privacy of split learning clients.

In this paper, we propose SplitGuard, a method by which a split learning client can detect whether it is being targeted by a training-hijacking attack or not. We experimentally evaluate our method's effectiveness, compare it with potential alternatives, and discuss in detail various points related to its use. We conclude that SplitGuard can effectively detect training-hijacking attacks while minimizing the amount of information recovered by the adversaries.

CCS CONCEPTS

• Security and privacy → Privacy-preserving protocols; • Computing methodologies → Machine learning.

KEYWORDS

machine learning, split learning, data privacy, model inversion

ACM Reference Format:

Ege Erdoğan, Alptekin Küpçü, and A. Ercüment Çiçek. 2022. SplitGuard: Detecting and Mitigating Training-Hijacking Attacks in Split Learning. In *Proceedings of the 21st Workshop on Privacy in the Electronic Society (WPES '22)*, November 7, 2022, Los Angeles, CA, USA. ACM, New York, NY, USA, 13 pages. <https://doi.org/10.1145/3559613.3563198>

1 INTRODUCTION

Training deep neural networks (DNNs) requires large amounts of computing power and data; however, relying on a sustained increase in computing power is unsustainable [20], and data from

multiple sources cannot always be aggregated (e.g. healthcare data regulations [1, 15]).

Distributed deep learning frameworks such as *split learning* (SplitNN) [7, 21] and *federated learning* [2, 11, 12] aim to solve these two problems by allowing a group of data-holders (clients) to train a DNN without raw data sharing. The resulting DNN is effectively trained using the data-holders' collective data.

In federated learning, each client trains a local model and sends its parameter updates to the central server. The server aggregates the parameter updates (e.g. taking their average) of the clients and redistributes the final value. In SplitNN, a DNN is split into multiple parts (typically two); in the two-part setting, clients compute the first few layers of a DNN and send the output to a central server, who then computes the rest of the layers and initiates the backpropagation of gradients. In both methods, no client shares its private data with another party, and all clients end up with the same model.

The Problem. In SplitNN, the server has control over what the client models learn since it propagates the parameter updates back to the clients. This creates a new attack vector we call *training-hijacking*, that has already been exploited in an attack (Pasquini et al., CCS '21) [16], for a malicious server trying to obtain the clients' private data.¹ In the attack, the server discards the original classification task and leads a client towards outputting values in such a way that it is as easy as possible for the server to obtain back the original inputs from the intermediate values. This is a serious potential violation of the clients' data privacy, but if the clients can detect early in the training process that the server is launching an attack, they can halt training and leave the attacker empty-handed.

Our Solution. In this paper we propose SplitGuard, a protocol by which a SplitNN client can detect, without expecting cooperation from the server, if its local model is being hijacked. To the best of our knowledge, SplitGuard is the first attempt at detecting training-hijacking attacks. Our starting point is the observation that if a client's local model is learning the intended classification task, then it should behave in a drastically different way when the task is reversed (i.e. when success in the original task implies failure in the new task). In classification, this reversal means trying to learn a training batch with random label values. We demonstrate through various experiments (using the MNIST [14], Fashion-MNIST [23], and CIFAR10/100 [13] datasets) that the emergence of this discrepancy precedes the server being able to extract useful information, effectively giving the clients the upper hand against the attackers.



This work is licensed under a Creative Commons Attribution International 4.0 License.

WPES '22, November 7, 2022, Los Angeles, CA, USA
© 2022 Copyright held by the owner/author(s).
ACM ISBN 978-1-4503-9873-2/22/11.
<https://doi.org/10.1145/3559613.3563198>

¹By contrast, this attack vector does not exist in federated learning, since the clients can trivially check if their model is aligned with their goals by calculating its accuracy. Running the same detection method is not possible in split learning since the server can train a legitimate model on the side using the clients' intermediate outputs (i.e. follow the protocol) and use that model for an accuracy test.

The code for our approach is available at <https://github.com/egeerdogan/splitguard>.

2 BACKGROUND AND RELATED WORK

2.1 Neural Networks

In the context of supervised learning,² a neural network [6] is a parameterized function $f : X \times \Theta \rightarrow Y$ that approximates a function $f^* : X \rightarrow Y$. The training process aims to learn the parameters Θ using a training set consisting of examples \tilde{X} and labels \tilde{Y} sampled from the real-world distributions X and Y .

A typical neural network, also called a *feedforward neural network*, consists of discrete units called *neurons*, organized into layers. Each neuron in a layer takes in a weighted sum of the previous layer's neurons' outputs, applies a non-linear activation function, and outputs the result. The weights connecting the layers to each other constitute the parameters that are updated during training. Considering each layer as a separate function, we can model a neural network as a chain of functions, and represent it as $f(x) = f^{(N)}(\dots(f^{(2)}(f^{(1)}(x))))$, where $f^{(1)}$ corresponds to the first layer, $f^{(2)}$ to the second layer, and $f^{(N)}$ to the final, or the *output* layer. The final layer often has a different activation function, such as the softmax function.

Training a neural network involves minimizing a loss function. However, since the nonlinearity introduced by the activation functions applied at each neuron causes the loss function to become non-convex, we use iterative, gradient-based approaches to minimize the loss function. Since these methods do not provide any global convergence guarantees, it is important that the training data represent the real-world data as accurately as possible.

A widely-used optimization method is *stochastic gradient descent* (SGD). Rather than computing the gradient from the entire data set, SGD computes gradients for batches selected from the data set. The weights are updated by propagating the error backwards using the backpropagation algorithm. Training a deep neural network generally requires multiple passes over the entire data set, each such pass being called an *epoch*. One round of training a neural network requires two passes through the network: one forward pass to compute the network's output, and one backward pass to update the weights. We will use the terms *forward pass* and *backward pass* to refer to these operations in the following sections. For an overview of gradient-based optimization methods other than SGD, we refer the reader to [18].

2.2 Split Learning

In split learning (SplitNN) [7, 21, 22], a DNN is split between the clients and a server such that each client locally computes the first few layers, and the server computes rest of the layers. This way, a group of clients can train a DNN utilizing, but not sharing, their collective data. This way, most of the computational work is offloaded to the server, reducing the cost of training for the clients. However, this partitioning involves a privacy/cost trade-off for the clients, with the outputs of earlier layers leaking more information about the inputs.

Figure 1 displays the two basic setups of SplitNN, the main difference being whether the clients share their labels with the server or not. In Figure 1a, clients compute only the first few layers, and share their labels with the server. The server then computes the loss value, starts backpropagation, and sends the gradients of its first layer back to the client, who then completes the backward pass. The private-label scenario depicted in Figure 1b follows the same procedure, with an additional communication step. Since now the client computes the loss value and initiates backpropagation, it should first feed the server model with the gradient values to resume backpropagation.

The primary advantage of SplitNN compared to federated learning is its lower communication load [19]. While federated learning clients have to share their entire parameter updates with the server, SplitNN clients only share the output of a single layer.

SplitNN follows a round-robin training protocol to accommodate multiple clients; clients take turn training with the server using their local data. Before a client starts its turn, it should bring its parameters up-to-date with those of the most recently trained client. There are two ways to achieve this: the clients can either share their parameters through a central parameter server, or directly communicate with each other in a P2P way.

Choosing a split depth is crucial for SplitNN to actually provide data privacy. If the initial client model is too shallow, an honest-but-curious server can recover the private inputs with high accuracy, knowing only the model architecture (not the parameters) on the clients' side [4]. This implies that SplitNN clients should increase their computational load by computing more layers for stronger data privacy.

2.3 Training-Hijacking in Split Learning

In a training-hijacking attack against a SplitNN client, the attacker server tries to direct the client models towards its own malicious goal, independent of the actual classification task. The Feature-Space Hijacking Attack (FSHA) (Pasquini et al. CCS '21) [16] is the only proposed training-hijacking attack against SplitNN clients so far. The server aims to lead the clients, by propagating back loss values independent of the original task, towards outputting values in such a way that it is easier to recover the original inputs (clients' private data) than if the model was learning the original task.

In FSHA, the attacker (a SplitNN server) first trains an autoencoder (consisting of the encoder \tilde{f} and the decoder \tilde{f}^{-1}) on some public dataset X_{pub} similar to that of the client's private dataset X_{priv} . It is important for the attack's effectiveness that X_{pub} be similar to X_{priv} . Without such a dataset at all, the attack cannot be launched. The main idea is for the server to bring the output spaces of the client model f and the encoder \tilde{f} as close as possible, so that the decoder \tilde{f}^{-1} can successfully invert the client outputs and recover the private inputs.

After this initial *setup phase*, the client model's training begins. For this step, the attacker initializes a distinguisher model D that tries to distinguish the client's output $f(X_{priv})$ from the encoder's output $\tilde{f}(X_{pub})$. More formally, the distinguisher is updated at each iteration to minimize the loss function.

$$L_D = \log(1 - D(\tilde{f}(X_{pub}))) + \log(D(f(X_{priv}))). \quad (1)$$

²Supervised learning involves learning through labeled data, as opposed to unsupervised learning, in which the data used is not labeled.




Figure 1: Different split learning setups. Arrows denote the forward and backward passes, starting with the examples X , and propagating backwards after the loss computation using the labels Y . In Figure 1a, clients send the labels to the server along with the intermediate outputs. In Figure 1b, the model terminates on the client side, and the clients do not share their labels.

Simultaneously at each training iteration, the server directs the client model f towards maximizing the distinguisher’s error rate, thus minimizing the loss function.

$$L_f = \log(1 - D(f(X_{priv}))). \quad (2)$$

In the end, the output spaces of the client model and the server’s encoder are expected to overlap to a great extent, making it possible for the decoder to invert the client’s outputs.

Notice that the client’s loss function L_f is totally independent of the training labels, as in changing the value of the labels does not affect the loss function. We will soon refer to this observation.

2.4 Differential Privacy as a Defense Against Training-Hijacking

Differential privacy [3], with the intention of minimizing the model’s memorization of private training data, can potentially be used as a defense against training-hijacking attacks. In such an attempt, Gawron and Stubbings [5] apply differential privacy on the gradients received from the SplitNN server on the client side, and compare the results a FSHA server obtains with those of the non-DP scenario. Applying DP makes the attack less effective for the same number of iterations, but the attacker still obtains high-accuracy results after a higher number of iterations.

Thus, differential privacy by itself does not make training-hijacking attacks a nonconcern for SplitNN clients, the bottom line being as the authors state: “DP can at most delay FSHA convergence.”

Nevertheless, this delay can still prove useful. For example, a SplitNN client running SplitGuard while also applying DP on the gradients it receives would have more time to detect a training-hijacking attack before the attacker learns something of value. Hence, DP should not be ruled out as a defense against training-hijacking; in fact, it can be a strong tool for clients when used in the right context.

Table 1: Summary of notation used throughout the paper.

Notation	
P_F	Probability of sending a fake batch
B_F	Share of randomized labels in a fake batch
N	Batch index at which SplitGuard starts running
F	Set of fake gradients
R_1, R_2	Random, disjoint subsets of regular gradients
R	$R_1 \cup R_2$
α, β	Parameters of the SplitGuard score function
L	Number of classes
A	Model’s classification accuracy
A_F	Expected classification accuracy for a fake batch

3 SPLITGUARD

We start our presentation of SplitGuard by restating an earlier remark: *If the training-hijacking detection protocol requires the attacking SplitNN server to knowingly take part in the protocol, the server can easily circumvent the protocol by training a legitimate model on the side, and using that model during the protocol’s run.* In the light of this, it is evident that we need a method which the clients can run during training and without breaking the flow of training from the server’s point of view.

3.1 Overview

Our main idea is that if the client model is learning the intended task, then it should behave in a drastically different way when that task is reversed (e.g. for classification, when the label values in a training batch are randomly reassigned); since the attacker’s objective is independent of the original task, the same discrepancy should not be visible if the server is hijacking the training process. We then need this discrepancy to become evident before the attacker can learn significant information so that the clients can stop training soon enough if the expected discrepancy *does not* occur.




Figure 2: Overview of SplitGuard, comparing the honest training and training-hijacking scenarios. Clients intermittently send training batches with randomized labels (e.g. random value "eight" instead of the true label "one"), and then analyze the behavior of their local models from their parameter updates.

During training with SplitGuard, clients intermittently input batches with randomized labels, denoted *fake batches*, as opposed to *regular batches*.³

There are two components of the aforementioned discrepancy between the fake and regular gradients: *angle* and *magnitude*. The client model learning the intended task means it is moving towards a high-accuracy point on its parameter space. When the labels are randomized, that high-accuracy point becomes a low-accuracy point; the model tries to move away from that point, and the classification error increases.⁴ More specifically, we make the following two claims (experimentally validated in Section 4.2):

CLAIM 1. *If the client model is learning the intended task, then the angle between fake and regular gradients will be higher than the angle between two random subsets of regular gradients.*⁵

CLAIM 2. *If the client model is learning the intended task, then fake gradients will have a higher magnitude than regular gradients.*

3.2 Putting the Claims to Use

At the core of SplitGuard, clients compute a value, denoted the SplitGuard score, based on the fake and regular gradients they have collected up to that point. This value's history is then used to reach a decision on whether the server is launching an attack or not. We now describe this calculation process in more detail. Table 1 displays the notation we use from here on.

³Fake gradients and regular gradients similarly refer to the gradients resulting from fake and regular batches.

⁴For an extreme example, suppose that some point in the parameter space corresponds to perfect accuracy. If all the labels in a batch are changed, that point will correspond to 0% accuracy since.

⁵Angle between sets meaning the angle between the sums of vectors in those sets.

Algorithm 1: Client training with label sharing

```

 $f, w$ : client model, parameters
 $OPT$ : optimizer
 $P_F$ : probability of sending fake batches
 $B_F$ : number of labels randomized in fake batches
 $N$ : number of initial batches to ignore
initialize  $R_1, R_2, F$  as empty lists
 $\text{rand}(y, B_F)$ : randomize share  $B_F$  of the labels  $Y$ .
before training, set parameters  $\alpha, \beta, B_F, P_F, T, N$ .
while training do
  for  $(x_i, y_i) \leftarrow \text{trainset}$  do
    if probability  $P_F$  occurs and  $i \geq N$  then
      // sending fake batches
      Send  $(f(x_i), \text{rand}(y_i, B_F))$  to server
      Receive gradients  $\nabla_F$  from server
      Append  $\nabla_F$  to  $F$ 
      MAKE_DECISION( $F, R_1 \cup R_2$ )
      // do not update parameters
    else
      // regular training
      Send  $(f(x_i), y_i)$  to server
      Receive gradients  $\nabla_R$  from server
      if  $i \geq N$  then
        if probability 0.5 occurs then
          Append  $\nabla_R$  to  $R_1$ 
        else
          Append  $\nabla_R$  to  $R_2$ 
       $w \leftarrow w + OPT(\nabla_R)$ 

```

Starting with the N th batch during the first epoch of training, with probability P_F ,⁶ clients send fake batches in which the share $B_F \in [0, 1]$ of the labels are randomized. Upon calculating the gradient values for their first layer, clients append the fake gradients to the list F , and split the regular gradients randomly into the lists R_1 and R_2 , where $R = R_1 \cup R_2$. To minimize the effect of fake batches on model performance, clients discard the parameter updates resulting from fake batches.

Figure 2 displays a simplified overview of the protocol, and Algorithm 1 explains the modified training procedure in more detail. The MAKE_DECISION function contains the clients' decision-making logic and will be described later in Algorithm 4.

We should first define two quantities. For two sets of vectors A and B , we define $d(A, B)$ as the absolute difference between the average magnitudes of the vectors in A and B :

$$d(A, B) = \left| \frac{1}{|A|} \sum_{a \in A} \|a\| - \frac{1}{|B|} \sum_{b \in B} \|b\| \right|, \quad (3)$$

and $\theta(A, B)$ as the angle between sums of vectors in two sets A and B :

$$\theta(A, B) = \arccos\left(\frac{\bar{A} \cdot \bar{B}}{\|\bar{A}\| \cdot \|\bar{B}\|}\right) \quad (4)$$

⁶This is equivalent to allocating a certain share of the training dataset for this purpose before training.

where

$$\bar{A} = \sum_{a \in A} a \quad (5)$$

for a set of vectors A . We can restate our two claims more concisely using these quantities under the condition that the client model is learning the intended task:

CLAIM 1 RESTATED. $\theta(F, R) > \theta(R_1, R_2)$

CLAIM 2 RESTATED. $d(F, R) > d(R_1, R_2)$

If the model is learning the intended task, then it follows from the two claims that the product $\theta(F, R) \cdot d(F, R)$ will be greater than the product $\theta(R_1, R_2) \cdot d(R_1, R_2)$. If the model is learning some other task independent of the labels, then F, R_1 , and R_2 will essentially be three random samples of the set of gradients obtained during training, and it will not be possible to consistently detect the same relationships among them.

We can now define the values clients compute to reach a decision. First, after each fake batch, the clients compute the value:

$$S = \frac{\theta(F, R) \cdot d(F, R) - \theta(R_1, R_2) \cdot d(R_1, R_2)}{d(F, R) + d(R_1, R_2) + \varepsilon}. \quad (6)$$

The numerator contains the useful information we want to extract, and we divide that result by $d(F, R) + d(R_1, R_2) + \varepsilon$, where ε is a small constant to avoid division by zero. This division bounds the S value within the interval $[-\pi, \pi]$, a feature that will shortly come handy.

So far, the claims lead us to consider high S values as indicating an honest server, and low S values as indicating a malicious server. However, the S values obtained during honest training vary from one model/task to another. For a more effective method, we need to define the notions of *higher* and *lower* more clearly. For this purpose, we will define a *squashing function* that maps the interval $[-\pi, \pi]$ to the interval $(0, 1)$, where high S values get mapped infinitesimally close to 1 while the lower values get mapped to considerably lower values.⁷ This allows the clients to choose a threshold to separate high and low values.

Our function of choice for the squashing function is the logistic sigmoid function σ . To provide some form of flexibility to the clients, we introduce two hyper-parameters, α and β , and define the function as follows:

$$SG = \sigma(\alpha \cdot S)^\beta \in (0, 1). \quad (\text{SplitGuard Score})$$

The function fits naturally for our purposes into the interval $[-\pi, \pi]$, mapping the high-end of the interval to 1, and the lower-end to 0. The parameter α determines the range of values that get mapped very close to 1, while increasing the parameter β punishes the values that are less than 1. We discuss the process of choosing the α and β in more depth in Section 5.

4 RESULTS

We need to answer five questions to claim that SplitGuard is an effective method:

- How much does sending fake batches affect model performance? If the performance loss is significant, then the harm might outweigh the benefit.

⁷From here on we will refer to the values very close to 1 as being *equal* to 1, since that is the case when working with limited-precision floating point numbers.

- Do our two claims hold?
- How accurately does SplitGuard detect FSHA, while not reporting an attack during honest training?
- What can a typical adversary learn until detection? SplitGuard's success relies on the presupposition that it can detect FSHA before the attacker achieves his goal.
- Can SplitGuard detect FSHA when the server includes the labels into the process as well? If not, then this is an easy way out for the attacker.

In each of the following subsections, we experimentally answer one of these questions. For our experiments, we used the ResNet architecture [8], trained with the Adam optimizer [10], on the MNIST [14], Fashion-MNIST [23], and CIFAR10/100 [13] datasets. We implemented our attack in Python (v 3.7) using the PyTorch library (v 1.9) [17]. In all our experiments, we limit our scope only to the first epoch of training. It is the least favorable time for detecting an attack since the model initially behaves randomly, and represents a lower bound for results in later epochs.

Table 2: Test classification accuracy values of the ResNet model for the MNIST, F-MNIST, and CIFAR10/100 datasets for different B_F values after three epochs of training with SplitGuard, averaged over 10 runs with a P_F of 0.1.

B_F	Classification Accuracy (%)			
	MNIST	F-MNIST	CIFAR10	CIFAR100
0 (Original)	98.68	89.60	64.24	36.5
8/64	98.62	89.80	64.0	38.46
16/64	98.86	89.24	66.38	38.24
32/64	99.14	90.40	62.58	36.06
64/64	98.92	89.44	63.28	35.86

4.1 Effect on Model Performance

Table 2 displays the classification accuracy of the ResNet model on the test sets of our four benchmark datasets with different B_F values after three epochs of training, averaged over 10 runs. The client model consists of a single convolutional layer, and the rest of the model is computed by the server. This is the worst-case scenario for this purpose, since the part of the model that is being updated with fake batches is as large as possible.

The results show that the model performs similarly when trained with and without SplitGuard. There is not a noticeable and consistent decrease in performance for any of the datasets, even for high B_F values such as 1.

4.2 Validating the Claims

Going back to our two claims, we now demonstrate that fake gradients make a larger angle with regular gradients than the angle between two random subsets of regular gradients, and that fake gradients have a higher magnitude than regular gradients. For each dataset, Figures 3 and 4 display these values obtained during the first epoch of training with an honest server, averaged over 5 runs.

Figure 3 shows that $\theta(F, R)$ is consistently greater than $\theta(R_1, R_2)$. Note however that the difference is greater for MNIST (around




Figure 3: Comparison of the angle between fake and regular gradients ($\theta(F, R)$) with the angle between two subsets of regular gradients ($\theta(R_1, R_2)$), averaged over 5 runs during honest training. The x-axis denotes the passage of time during the first training epoch.




Figure 4: Comparison of the average magnitude values ($d(F, R)$ and $d(R_1, R_2)$) for fake and regular gradients, averaged over 5 runs during honest training. The x-axis denotes the passage of time during the first training epoch.

60°) than for Fashion-MNIST (around 30°) and the CIFAR datasets (around 10°). This means that as the model performs better (see Table 2), the difference between the angles becomes higher as well.

Figure 4 displays a similar relation between the $d(F, R)$ and $d(R_1, R_2)$ values obtained during the first epoch of training. For each of our datasets, $d(F, R)$ values are consistently higher than the $d(R_1, R_2)$ values, although the difference is smaller for CIFAR compared to MNIST for similar reasons with the angle values.

To recap, Figures 3 and 4 demonstrate that our claims are valid during the first epoch of training for our benchmark datasets. The decreasing difference as the models become less adept (going from MNIST to CIFAR100) implies that the protocol might need to be extended beyond the first epoch for more complex tasks.

4.3 Detecting FSHA

With the claims validated, the questions of actual effectiveness remains: how accurately can SplitGuard detect FSHA?

4.3.1 Distinguishable Scores. Figure 5 compares the SplitGuard scores obtained against a malicious (FSHA) server and an honest server, averaged over 5 runs with a P_F value of 0.1 and varying B_F values.⁸ We set the α and β values to 7 and 1 for all datasets; we discuss further in Section 5 the way the α and β values can be chosen.

⁸The B_F values do not affect the SplitGuard scores obtained against a FSHA server, since the client's loss function L_f is independent of the labels, though as we will discuss later there might be strategic reasons for choosing different B_F values.

The results displayed in Figure 5 indicate that the SplitGuard scores are distinguishable enough to enable detection by the client. The SplitGuard scores obtained against an honest server are very close or equal to 1, while the scores obtained against a FSHA server do not surpass 0.8, and vary more vigorously. Higher B_F values are more effective. For example, it takes slightly more time for the scores to get fixed around 1 for Fashion-MNIST with a B_F of 4/64 compared to a B_F of 1.

4.3.2 Decision Policies. To assess more rigorously how accurate SplitGuard is at detecting FSHA, and likewise not reporting an attack during honest training, we define three candidate **decision policies** with different goals and test each one's effectiveness. A policy takes as input the list of SplitGuard scores obtained up to that point, and decides if the server is launching a training-hijacking attack or not.

We set a threshold score of 0.9 for these example policies. While the clients can choose different thresholds (Section 5.3), the results in Figure 5 indicate that 0.9 is a reasonable starting point. The three policies, also displayed in Algorithm 2 are defined as follows:

- **Fast:** Fix an early batch index. Report an attack if the last score obtained is less than 0.9 after that index. The goal of this policy is to detect an attack as fast as possible, without worrying about a high false positive rate.
- **Avg-k:** Report an attack if the average of the last k scores is less than 0.9. This policy represents a middle point between the *Fast* and the *Voting* policies.




Figure 5: SplitGuard scores obtained while training with an honest server, and a FSHA attacker until detection during the first epoch, averaged over 5 runs. The x-axis displays the flow of time during the first epoch. The P_F value is set to 0.1, and the B_F values vary when training with an honest server. Lower B_F values are excluded from the CIFAR10/100 results since they do not serve a purpose given the model’s classification accuracy (see Section 5.3). The labels at the end of FSHA lines correspond to the average detection times as the amount of progress within the first epoch, as shown in Table 3 as well.

Table 3: Attack detection statistics for the five example policies, collected over 100 runs of the first epoch of training with a FSHA attacker and an honest server. The true positive rate (TPR) corresponds to the rate at which SplitGuard succeeds in detecting FSHA. The false positive rate (FPR) corresponds to the share of honest training runs in which SplitGuard mistakenly reports an attack. The t field denotes the average point of detection (as the share of total batches).

Policy	MNIST			F-MNIST			CIFAR10			CIFAR100		
	TPR	FPR	t	TPR	FPR	t	TPR	FPR	t	TPR	FPR	t
Fast	1	0.01	0.016	1	0.09	0.016	1	0.20	0.11	1	0.90	0.12
Avg-10	1	0	0.14	1	0.03	0.14	1	0.29	0.20	1	0.75	0.14
Avg-20	1	0	0.24	1	0.01	0.24	1	0.21	0.33	1	0.45	0.26
V	1	0	0.55	1	0	0.55	1	0.02	0.70	1	0.11	0.65

Algorithm 2: Example Detection Policies

```

Function FAST( $S$ : scores,  $T$ : threshold):
  return  $S[-1] < T$ 

Function AVG-K( $S$ : scores,  $k$ : number of scores,  $T$ : threshold):
  return  $\text{mean}(S[-k :]) < T$ 

Function VOTING( $S$ : scores,  $n$ : group size,  $T$ : threshold):
  votes = 0
   $c = \lceil \text{len}(S) / n \rceil$  // group count
  // default  $c = 10$  and  $n = 5$ 
  for  $i$  from 0 to  $c$  do
    group =  $S[i \cdot n : (i + 1) \cdot n]$ 
    if  $\text{mean}(\text{group}) < T$  then
      votes += 1
  return  $\text{votes} > c/2$ 

```

- **Voting:** Divide the scores sequentially into groups of a fixed size and calculate each group’s average. Report attack if the majority of the means is less than 0.9. This policy aims for a high overall success rate (i.e. high true positive and low false positive rates); it can tolerate making decisions relatively later.

We will discuss the clients’ decision-making process beyond these sample policies in more detail in Section 5.3.

Table 3 displays the detection statistics for each of these strategies obtained over 100 runs of the first epoch of training against a

FSHA attacker and an honest server with a B_F of 1 and P_F of 0.1. For the Avg- k policy, we use k values of 10 and 20; this ensures that the policy can run within the first training epoch.⁹ For the Voting policy, we set the group size to 5. Finally, we set N , the index at which SplitGuard starts running, as 20 for MNIST and F-MNIST, 50 for CIFAR10, and 100 for CIFAR100.¹⁰

Most significantly, all the strategies achieve a perfect true positive rate (i.e. successfully detect all runs of FSHA). Expectedly, the Fast strategy achieves the fastest detection times as denoted by the t values in Table 3, detecting in at most a hundred training batches all instances of the attack.

False positive rates increase as the model’s performance decreases, moving from MNIST to F-MNIST and then to CIFAR10/100. This means that more training time should be taken to achieve higher success rates in more complex tasks. However, as we will observe in Section 4.4, the model not having a high performance also implies that FSHA will be less effective. Nevertheless, the Voting policy achieves a false positive rate of 0 for (F-)MNIST, 0.02 for CIFAR10, and 0.11 for CIFAR100, indicating that despite the relatively high false positive rates of the Fast and Avg- k policies, better detection performance in less time is achievable through more sophisticated policies, such as the Voting policy.

⁹With a batch size of 64, one epoch is equal to 938 batches for MNIST and F-MNIST, and 782 for CIFAR10/100.

¹⁰The models initially behave randomly. We want to exclude those periods from SplitGuard.




Figure 6: Results obtained by a FSHA attacker for the MNIST, F-MNIST, CIFAR10, and CIFAR100 datasets until the average detection times of the given policies as displayed in Table 3. The first row displays the original images, and the last row displays the results obtained by a FSHA attacker able to run for an arbitrary duration without being detected.

4.4 What Does the Attacker Learn Until Detection?

We now analyze what an FSHA adversary can learn until the detection batch indices displayed in Table 3. Figure 6 displays the results obtained by the attacker when it runs the attack only until the detection batch indices for the given policies, and compares them with the attacker’s results in the no-SplitGuard scenario.

For the *Fast* policy, the attacker obtains not much more than random noise; if a high false positive rate can be tolerated (e.g. privacy of the data is highly critical, and the server is distrusted), this policy can be applied to prevent any data leakage.

The attack results get more accurate as the attacker is given more time. Nevertheless, especially for the more complex CIFAR10/100 tasks, the results obtained by the attacker against the *Voting* policy do not contain the distinguishing features of the original images, whereas the no-SplitGuard scenario produces results that are visually more accurate. This highlights the effectiveness of the *Voting* policy, preventing significant information leakage with a relatively lower false positive rates.

Finally, the CIFAR10/100 results also show that the attacker having more time for a more complex task is tolerable because after the same number of batches, the attacker’s results for MNIST and Fashion-MNIST are more accurate compared to the CIFAR10/100 results.

4.5 Multitask Learning

As a response to the preceding discussion, the question might arise of the server somehow including the label values in the attack in an attempt to subvert the detection process.¹¹ A reasonable way of doing this is to make the client optimize both the FSHA loss and the classification loss functions, e.g. by computing their weighted average, an *attack weight* of 1 meaning plain FSHA and 0 no attack.

Figure 7 displays the SplitGuard scores obtained against a malicious server returning the average of FSHA and classification losses back to the client, averaged over 5 runs with a P_F of 0.1 and B_F of 1.

The attacker performing multitask learning gives rise to higher SplitGuard scores than those displayed in Figure 5 as the randomized labels have *some* influence over the parameter updates of the




Figure 7: SplitGuard scores for our four benchmark datasets against an honest server and a FSHA server performing multitask learning, averaged over 5 runs with $P_F = 0.1$ and $B_F = 1$. The x-axis represents the passage of training time. The labels at the end of each line displays the average progress within the first epoch when SplitGuard detects FSHA using the Voting decision policy.

client model. The scores also tend to generally increase with time; since the fake/regular batch discrepancy becomes stronger as the model learns to classify more accurately. However, the scores are still noticeably smaller than 1 during detection time, indicating that the server performing multitask learning is not enough to yield SplitGuard ineffective.

Further quantifying the effect of multitask learning, Table 4 displays the rates at which our three sample policies detect a FSHA server performing multitask learning (true positive rate). As in the original scenario (Table 3), all policies detect all instances of the attack. These results confirm the visual observation we made in the previous paragraph that the server performing multitask learning does not yield SplitGuard ineffective.

Finally, Figure 8 displays the results obtained by a FSHA server performing multitask learning with varying attack weights. A very low attack weight such as 0.01 produces random-looking results, while the distinction between a full- and half-attack result is less clear. However, it is not clear whether this is an inherent property

¹¹This only concerns the shared-label SplitNN setup (Figure 1a) since in the private-label scenario the server does not have access to the label values input to the classification loss.




Figure 8: Results the FSHA attacker obtains when it performs multitask learning until detection for the MNIST, F-MNIST, CIFAR10, and CIFAR100 datasets, with 5 images randomly selected from each dataset. The bottom row displays the original inputs, and the top three rows display the attack’s results when the attack weight is 1, 0.5, and 0.01.

Table 4: Detection results on MNIST, F-MNIST, and CIFAR10/100 datasets for our four policies against a server launching FSHA while performing multitask learning, averaged over 100 runs. The TPR column displays the true positive (i.e. success) rate and the t values correspond to the average share of total batches trained on until detection. Detecting at later batches gives the attacker more time while decreasing the false positive rate (see Table 3); all the displayed batch indices fall within the first epoch. There is no false positive rate column since they only matter for the honest training scenario which is displayed in Table 3.

Policy	MNIST		F-MNIST		CIFAR10		CIFAR100	
	TPR	t	TPR	t	TPR	t	TPR	t
Fast	1	0.015	1	0.028	1	0.03	1	0.14
Avg-10	1	0.11	1	0.11	1	0.14	1	0.14
Avg-20	1	0.22	1	0.22	1	0.26	1	0.26
Voting	1	0.32	1	0.31	1	0.47	1	0.40

of the attack, or is specific to the dataset or client/server model architectures.

5 DISCUSSION

Table 5: Classification accuracies (averaged over 5 runs) over the test set for the original model and the client’s linear classifier for honest and random training scenarios. The linear classifier was introduced with the idea that perhaps its low performance could alert the client to an attack.

Training	Classification Accuracy (%)			
	Honest		Random	
	Original	Linear	Original	Linear
MNIST	98.09	92.13	8.62	91.54
F-MNIST	86.13	81.53	9.40	83.18
CIFAR10	51.62	28.26	8.08	28.88
CIFAR100	22.92	9.26	0.94	8.86

5.1 Training-Hijacking and Learning a Classifier from the Clients’ Outputs

A reasonable argument against a training-hijacking detection protocol such as SplitGuard is that it might have been simpler (and practically impossible for the attacker to detect) if the clients, already knowing the label values, had attempted to train a classifier using their models’ outputs and assessed its accuracy, the hypothesis being that training-hijacking would lead the clients towards outputting values from which it would be difficult to train a classifier, whereas the values output by an honestly-trained client model would by necessity give rise to an accurate classifier. However, the weak point of the argument is clear: The values clients output against a training-hijacking server *must* contain significant information (and this necessarily includes the information that would help classify them) about the inputs so that the attacker can recover the inputs from the outputs.

We experimentally tested this argument for the worst-case scenario: The server learns random labels (effectively leading the clients towards outputting random values, rather than the FSHA server attempting to extract as much information as possible), and the client’s classifier consists of a single linear layer. Table 5 displays the original model’s and the linear classifier’s classification accuracies for the honest and random training scenarios for each of our four benchmark datasets averaged over five runs. In honest training, the linear classifier performs worse than the original, much more sophisticated, model. But most significantly, there is no noticeable difference between the linear classifier’s performances in honest- and random-training scenarios; the difference is at most 1 – 2%, sometimes in the favor of the random-training linear classifier (see F-MNIST and CIFAR10 in Table 5).

In short, attempting to train a linear classifier using the client’s outputs does not provide a reliable detection mechanism against training-hijacking attacks.

5.2 Computational Complexity

SplitGuard does not incur a significant computational cost regarding time or space.

Since SplitNN clients are already assumed to be able to run back-propagation on a few DNN layers, calculating the S value described in Equation 6 is a simple task. Quantitatively, averaged over 10 runs, an epoch of training in our experimental setup with CIFAR-10 takes 24.16 seconds with, and 19.73 seconds without SplitGuard.

Space-wise, although it might seem like storing the gradient vectors for potentially multiple epochs requires a significant amount of space, the clients do not have to store all the gradient vectors. For each of the sets F , R_1 , R_2 , the clients have to maintain two quantities: a sum of all vectors in the set, and the average magnitude of the vectors in the set; the first has the dimensions of a single gradient vector, and the second is a scalar. More importantly, both of these quantities can be maintained in a running manner. This keeps the total space required by SplitGuard to $O(1)$ with respect to training time, equivalent to the space needed for three scalar values and three gradient vectors. For reference, the space required to store a single gradient vector in our experiments was 2.304 KB. Since the space requirement is independent of the total number of batches, it is possible to run SplitGuard during arbitrarily long training processes.

Algorithm 3: End-to-End SplitGuard Outline

- (1) Choose parameters $\alpha, \beta, B_F, P_F, N, T$ (Section 5.3.1); simulating different server behaviors if possible.
 - (2) Choose a decision policy based on user goals (Section 4.3).
 - (3) Start training and evaluate scores after each fake batch (Algorithm 1, Section 5.3.2).
 - (4) Stop training if server is likely attacking.
-

5.3 Using SplitGuard

There are two steps to using SplitGuard: preparation before training, and actual use during training. Algorithm 3 provides an outline of the end-to-end procedure and we further detail the two parts below.

5.3.1 Preparation Before Training. Before training, SplitGuard's various parameters should be set. For choosing α and β values, we consider two scenarios: the clients know or do not know the model architecture.

If the clients know the server-side model architecture, then they can simulate different server behaviors using (part of) their local data. For example, they can train the entire model against simulated honest and random-labeling servers. They can then set the parameters α and β to map the S values (Equation 6) obtained against the honest server close to 1, and those obtained against a random-labeling server close to 0. In this scenario, since the clients' confidence on the accuracy of the method is expected to be higher, a relatively high threshold can be set, such as 0.95.

If the clients do not know the model architecture, then they should set the parameters α and β in a more ad hoc manner. Nevertheless, S values all lying within the interval $[-\pi, \pi]$ makes the clients' job easier. It is unreasonable to set extremely high α or β values since they will cause the squashing function to make sudden jumps, or map no value close to one. Lower threshold values, or protocols with later decision points can be utilized to compensate for this uncertainty. Nevertheless, as our experiments also demonstrate, smaller values such as $\alpha = 7$ and $\beta = 1$ are reasonable starting points.

Once the α and β values are set, we can consider the other parameters (B_F , P_F , and N). Each parameter involves a different trade-off:

- **Probability of sending a fake batch (P_F).**
 - (+) Higher P_F values mean more fake batches, and thus a more representative sample of fake gradient values, increasing the effectiveness of the method.
 - (–) Higher P_F values can also degrade model performance, since the server model will be learning random labels for a higher number of examples, and a higher share of the potentially scarce dataset will be allocated for SplitGuard.
- **Number of randomized labels in each batch (B_F).**
 - (+) More random labels in a batch means that fake batches and regular batches behave even more differently, and the method becomes more effective.
 - (–) Depending on the model's training performance, batches with entirely random labels can be detected by the server. One way to overcome this difficulty is to perform the loss computation on the client side.
- **Number of initial batches to ignore (N).**
 - (+) A smaller N value means that the server's malicious behavior can be detected earlier, giving it less time to attack.
 - (–) Since a model behaves randomly in the beginning of the training, the initial batches are of little value for our purposes. Computing SG scores for later batches will make it easier to distinguish honest behavior, but in return give the attacker more time.

5.3.2 During Training. After each fake batch, clients can make a decision on whether the server is launching an attack or not. The main decision procedure is as follows:

- (1) Is the SG value **high or low**?
 - (a) If **high**, there are no problems. Keep training.
 - (b) If **low**, there are two possible explanations:
 - (i) The model has not learned enough yet. Keep training, potentially making changes.
 - (ii) The server is launching an attack. Halt training.

The policies in Section 4.3 did not consider the first explanation (1.b.i) of low scores, namely the model not having learned enough. Taking that into consideration could help reduce the false positive rates since the main reason behind false positives was the model's random initial behavior.

Explaining Low Scores. When a client decides that the SplitGuard score is low, it should choose between two possible explanations: either the model has not learned enough yet, or the server is launching a training-hijacking attack.

Informally, a low score indicates that fake gradients are similar to regular gradients; i.e. the model behaves similarly when given fake batches and regular batches. For classification, *behaving similarly* is equivalent to having a similar classification accuracy. Then, the explanation that the model has not learned enough yet is more likely if the expected classification accuracy for a fake batch is close to the actual (expected) prediction accuracy. If these values are different but the SplitGuard score is still low, then the server is very likely launching an attack.

Out of the changed labels of misclassified examples, $1/L$ of them are changed to the same label as the model's wrong guess.




Figure 9: Expected classification accuracy in a fake batch with the share B_F of the labels randomized. The model normally has classification accuracy A with L labels.

We can formulate the expected accuracy for a fake batch. Say the total number of labels is $L \in \mathbb{N}$ ($L \geq 2$) and the overall model has classification accuracy $A \in [1/L, 1]$. Then the expected classification accuracy for a fake batch with the share $B_F \in [0, 1]$ of the labels randomized is

$$A_F = A \cdot (1 - B_F) + \frac{B_F \cdot (1 - A)}{L}. \quad (7)$$

Figure 9 explains this equation visually.

If the model terminates on the client-side (as in Figure 1b), then the clients already know the exact accuracy value. If that is not the case but the clients know the model architecture on the server side, then they can train the model using their local data, and obtain an estimate of the expected classification accuracy of the actual model during the first epoch. If even that is not possible, then in the worst-case the clients can train a linear classifier appended to their model to obtain a lower bound on the original model accuracy.¹²

Formalizing this discussion, for SplitGuard to be effective, it must be the case that $A \gg A_F$. If $A_F \approx A$, then the clients' choice of B_F is not right, and they should increase it. A_F is a linear function of B_F with the coefficient

$$-A + \frac{1}{L} - \frac{A}{L}.$$

Since $A \in [1/L, 1]$,

$$-A + \frac{1}{L} \leq 0$$

and

$$-A + \frac{1}{L} - \frac{A}{L} \leq 0$$

as well. Thus, A_F is indeed a monotonic function of B_F , and increasing B_F either keeps A_F constant or decreases it. Then when the clients decide that the SG value is low and that $A_F \approx A$, the best course of action is to increase B_F . If B_F is already 1, then clients should wait until the model becomes sufficiently accurate so that a completely randomized batch makes a difference. As discussed previously, this is not a worrisome scenario, since the attack's effectiveness also relies on the model's adeptness.

¹² A related, interesting study concludes that what a neural network learns during its initial epoch of training can be explained by a linear classifier [9], in the sense that if we know the linear model's output, then knowing the main model's output provides almost no benefit in predicting the label. Note however that this does not hold for any linear classifier, but the optimal one.

Algorithm 4: Clients' decision-making process

A : Model's classification accuracy

A_F : Expected classification accuracy for a fake batch

B_F : Share of randomized labels in a fake batch

N : Number of initial batches to ignore

Function MAKE_DECISION(F, R):

if scores are high **then**

 | Keep training.

else if $A \approx A_F$ **then**

if $B_F = 1$ **then**

 | It is too early to detect. Wait.

else

 | Increase B_F .

 [Optional] Increase N .

else

 | The server is launching an attack. Stop training.

Finally, an alternative course of action is to increase N , discarding the initial group of gradients. Since the models behave randomly in the beginning, increasing N decreases the noise, and can help distinguish an honest server from a malicious one. Increasing N is a reversible process, provided that clients store the gradient values.

With these discussions, we can finalize the clients' decision-making process as the function MAKE_DECISION, displayed in Algorithm 4.

5.4 Detection by the Attacker

An attacker can in turn try to detect that a client is running SplitGuard. It can then try to circumvent SplitGuard by using a legitimate surrogate model learning the original classification task.

If the server controls the model's output (Figure 1a), then it can detect if the classification error of a batch is significantly higher than the other ones. Since SplitGuard is a potential, though not the only, explanation of such behavior, this presents an opportunity for an attacker to detect it. However, the model behaving significantly differently for fake and regular batches also implies that the model is at a stage at which SplitGuard is effective. This leads to an interesting scenario: since the attack's and SplitGuard's effectiveness both depends on the model learning enough it seems as if the attack cannot be detected without the attacker detecting SplitGuard and vice versa.¹³

We argue that this is not the case, due to the clients being in charge of setting the B_F value. For example, with the MNIST dataset for which the model obtains a classification accuracy around 98% after the first epoch of training, a B_F value of 4/64 results in an expected classification accuracy of 91.8% for fake batches (Equation 7). The SplitGuard scores on the other hand displayed in Figure 5 being very close to one implies that an attack can be detected with such a B_F value. Thus, clients can make it difficult for an attacker to detect SplitGuard by setting the B_F value more smartly, rather than setting it blindly to 1.

Finally, we strongly recommend that a secure SplitNN setup follow the three-part setup shown in Figure 1b to prevent the clients

¹³ Our claim with the preceding presentation however was that the discrepancy between fake and regular gradients precedes the FSHA server being able to extract useful information.

sharing their labels with the server. This way, an attacker would not be able to see the accuracy of the model, and it would become harder for it to detect SplitGuard.

5.5 Generalizing SplitGuard

In the form we have discussed so far, a question might arise regarding SplitGuard's effectiveness in different learning setups. We argue however that since the claims (namely that *the model's behavior on the parameter space varies noticeably between two opposite tasks*) underlying SplitGuard are applicable to any kind of neural network learning on any kind of data, SplitGuard is generalizable to different data modalities, or more complex architectures.

Note that the input modality (image, text, numeric etc.) does not take part in our presentation of SplitGuard, although we limit ourselves to the image domain since the FSHA is also restricted as such. The data modality does not affect the clients' ability to manipulate the label values as required by SplitGuard.

Another direction of generalization is towards different attacks. Although there are no training-hijacking attacks other than FSHA against which we can test SplitGuard, we claim that SplitGuard can generalize to future attacks as well. After all, SplitGuard relies only on the assumption that randomizing the labels affects an honest model more than it affects a malicious model. Thus, to go undetected by SplitGuard, an attack should either involve learning significant information about the original task, which would likely reduce the attack's effectiveness, or craft a different loss function for each label, which could easily be prevented by not sharing the labels with the server (Figure 1b).

Finally, SplitGuard also generalizes to multiple-client SplitNN settings. Each client can independently run SplitGuard, with their own choices of parameters. Each client would then be making a decision regarding its own training process. Alternatively, if the clients trust each other, they can choose one client to run SplitGuard in order to minimize its effect on performance loss, or they can combine their collected gradient values and reach a collective decision.

5.6 Use Cases

We now describe three potential real-world use cases for SplitGuard, modeling clients with different capabilities at each scenario.

Powerful Clients. A group of healthcare providers decide to train a DNN using their aggregate data while maintaining data privacy. They decide on a training setup, and establish a central server. Each client knows the model architecture and the hyperparameters, and preferably has access to the model's output as well. The clients can train models using their local data to determine the parameters α and β , and run SplitGuard during their training turns. This is an example scenario with the clients as powerful as possible, and thus represents the optimal scenario for running SplitGuard.

Intermediate Clients. The SplitNN server is a researcher, attempting to perform privacy-preserving machine learning on some private dataset of some data-holder (the client). The researcher designs the training procedure, but the data-holder actively takes part in the protocol. The data-holder thus has tight control over how its data is organized. The client cannot train a local model since it does not know the entire architecture, and should set the parameters

α and β manually. Nevertheless, it can easily run SplitGuard by modifying the training data being used in the protocol.

Weak Clients. An application developer is the SplitNN server, and the users' mobile devices are the clients with private data. The clients do not know the model architecture, and cannot manipulate how their data is shared with the server. The application developer is in control of the entire process from design to execution. In this scenario, SplitGuard should be implemented at a lower-level, such as the ML libraries the mobile OS supports. However, even in that scenario, the application developer can implement a machine learning pipeline from scratch, without relying on any libraries. This is not an optimal scenario for running SplitGuard. There would have to be strict regulations, as well as gatekeeping by the OS provider (e.g. mandating that machine learning code must use one of the specified libraries) before SplitGuard could effectively be implemented for such clients.

6 LIMITATIONS

As we have explained in Section 5.4, SplitGuard can potentially, although unlikely, be detected by the attacker, who can then start sending fake gradients from its legitimate surrogate model and regular gradients from its malicious model. This could again cause a significant difference between the fake and regular gradients, and result in a high SplitGuard score. However, a potential weakness of this approach by the attacker is that now the fake gradients result from two different models with different objectives. Suppose the attacker detects SplitGuard at the 200th batch, and starts using its legitimate model. Then the fake gradients within the first 200 batches will be computed using a malicious model, and those after the 200th batch will be computed using the legitimate model. Clients can potentially detect this switch in models, and gain the upper hand. This is another point for which future improvement might be possible.

A final limitation of SplitGuard is that the space of training-hijacking attacks as of this writing is very limited, with only two available related papers [5, 16]. As more effort is put into this area, it might be possible to develop more sophisticated training-hijacking attacks that cannot be detected by SplitGuard.

7 CONCLUSION

In this paper, we presented SplitGuard, a method for SplitNN clients to detect if they are being targeted by a training-hijacking attack [16]. We described the theoretical foundations underlying SplitGuard, experimentally evaluated its effectiveness, and discussed issues related to its use. We conclude that when used appropriately (potentially combined with other tools such as differential privacy [5]), and in a secure setting without label-sharing, a client running SplitGuard can successfully detect training-hijacking attacks and leave the attacker empty-handed.

ACKNOWLEDGMENTS

We acknowledge support from TÜBİTAK, the Scientific and Technological Research Council of Turkey, under project number 119E088.

REFERENCES

- [1] George J. Annas. 2003. HIPAA Regulations — A New Era of Medical-Record Privacy? *New England Journal of Medicine* 348, 15 (April 2003), 1486–1490. <https://doi.org/10.1056/NEJMlim035027>
- [2] Keith Bonawitz, Hubert Eichner, Wolfgang Grieskamp, Dzmitry Huba, Alex Ingerman, Vladimir Ivanov, Chloe Kiddon, Jakub Konečný, Stefano Mazzocchi, H. Brendan McMahan, Timon Van Overveldt, David Petrou, Daniel Ramage, and Jason Roselander. 2019. Towards Federated Learning at Scale: System Design. *arXiv:1902.01046 [cs, stat]* (March 2019). <http://arxiv.org/abs/1902.01046> arXiv: 1902.01046.
- [3] Cynthia Dwork, Aaron Roth, et al. 2014. The algorithmic foundations of differential privacy. *Found. Trends Theor. Comput. Sci.* 9, 3-4 (2014), 211–407.
- [4] Ege Erdogan, Alptekin Kupcu, and A. Ercument Cicek. 2021. UnSplit: Data-Oblivious Model Inversion, Model Stealing, and Label Inference Attacks Against Split Learning. *arXiv preprint arXiv:2108.09033* (2021).
- [5] Grzegorz Gawron and Philip Stubbings. 2022. Feature Space Hijacking Attacks against Differentially Private Split Learning. *arXiv preprint arXiv:2201.04018* (2022).
- [6] Ian Goodfellow, Yoshua Bengio, and Aaron Courville. 2016. *Deep Learning*. MIT Press. <http://www.deeplearningbook.org>.
- [7] Otkrist Gupta and Ramesh Raskar. 2018. Distributed learning of deep neural network over multiple agents. *arXiv:1810.06060 [cs, stat]* (Oct. 2018). <http://arxiv.org/abs/1810.06060> arXiv: 1810.06060.
- [8] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. 2016. Deep residual learning for image recognition. In *Proceedings of the IEEE conference on computer vision and pattern recognition*. 770–778.
- [9] Dimitris Kalimeris, Gal Kaplun, Preetum Nakkiran, Benjamin Edelman, Tristan Yang, Boaz Barak, and Haofeng Zhang. 2019. Sgd on neural networks learns functions of increasing complexity. *Advances in Neural Information Processing Systems* 32 (2019), 3496–3506.
- [10] Diederik P. Kingma and Jimmy Ba. 2017. Adam: A Method for Stochastic Optimization. *arXiv:1412.6980 [cs]* (Jan. 2017). <http://arxiv.org/abs/1412.6980> arXiv: 1412.6980.
- [11] Jakub Konečný, H. Brendan McMahan, Daniel Ramage, and Peter Richtárik. 2016. Federated Optimization: Distributed Machine Learning for On-Device Intelligence. *arXiv:1610.02527 [cs]* (Oct. 2016). <http://arxiv.org/abs/1610.02527> arXiv: 1610.02527.
- [12] Jakub Konečný, H. Brendan McMahan, Felix X. Yu, Peter Richtárik, Ananda Theertha Suresh, and Dave Bacon. 2017. Federated Learning: Strategies for Improving Communication Efficiency. *arXiv:1610.05492 [cs]* (Oct. 2017). <http://arxiv.org/abs/1610.05492> arXiv: 1610.05492.
- [13] Alex Krizhevsky, Geoffrey Hinton, et al. 2009. Learning multiple layers of features from tiny images. (2009).
- [14] Yann LeCun, Corinna Cortes, and CJ Burges. 2010. MNIST handwritten digit database. *ATT Labs [Online]*. Available: <http://yann.lecun.com/exdb/mnist> 2 (2010).
- [15] Rebecca T. Mercuri. 2004. The HIPAA-potamus in health care data security. *Commun. ACM* 47, 7 (July 2004), 25–28. <https://doi.org/10.1145/1005817.1005840>
- [16] Dario Pasquini, Giuseppe Ateniese, and Massimo Bernaschi. 2021. Unleashing the tiger: Inference attacks on split learning. In *ACM CCS*. 2113–2129.
- [17] Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, Alban Desmaison, Andreas Kopf, Edward Yang, Zachary DeVito, Martin Raison, Alykhan Tejani, Sasank Chilamkurthy, Benoit Steiner, Lu Fang, Junjie Bai, and Soumith Chintala. 2019. PyTorch: An Imperative Style, High-Performance Deep Learning Library. In *NeurIPS*. 8024–8035. <http://papers.nips.cc/paper/9015-pytorch-an-imperative-style-high-performance-deep-learning-library.pdf>
- [18] Sebastian Ruder. 2017. An overview of gradient descent optimization algorithms. *arXiv:1609.04747 [cs]* (June 2017). <http://arxiv.org/abs/1609.04747> arXiv: 1609.04747.
- [19] Abhishek Singh, Praneeth Vepakomma, Otkrist Gupta, and Ramesh Raskar. 2019. Detailed comparison of communication efficiency of split learning and federated learning. *arXiv preprint arXiv:1909.09145* (2019).
- [20] Neil C Thompson, Kristjan Greenewald, Keeheon Lee, and Gabriel F Manso. 2020. The computational limits of deep learning. *arXiv preprint arXiv:2007.05558* (2020).
- [21] Praneeth Vepakomma, Otkrist Gupta, Tristan Swedish, and Ramesh Raskar. 2018. Split learning for health: Distributed deep learning without sharing raw patient data. *arXiv preprint arXiv:1812.00564* (2018).
- [22] Praneeth Vepakomma, Tristan Swedish, Ramesh Raskar, Otkrist Gupta, and Abhimanyu Dubey. 2018. No peek: A survey of private distributed deep learning. *arXiv preprint arXiv:1812.03288* (2018).
- [23] Han Xiao, Kashif Rasul, and Roland Vollgraf. 2017. Fashion-mnist: a novel image dataset for benchmarking machine learning algorithms. *arXiv preprint arXiv:1708.07747* (2017).