



## Correction to: Active Tuning from Narrowband to Broadband Absorbers Using a Sub-wavelength VO<sub>2</sub> Embedded Layer

Ataollah Kalantari Osgouei<sup>1,2</sup> · Hodjat Hajian<sup>2</sup> · Bahram Khalichi<sup>2,3</sup> · Andriy E. Serebryannikov<sup>2,4</sup> · Amir Ghobadi<sup>2,3</sup> · Ekmel Ozbay<sup>1,2,3,5</sup>

Published online: 4 February 2021  
© Springer Science+Business Media, LLC, part of Springer Nature 2021

**Correction to: Plasmonics**  
<https://doi.org/10.1007/s11468-020-01370-w>

The original version of this article unfortunately contained a mistake. The name of the fourth author is written reversely. The complete name of the fourth author is as follows: “Andriy E.” as the first name, while “Serebryannikov” is his last name. The original article has been corrected.

**Publisher’s Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The original article can be found online at <https://doi.org/10.1007/s11468-020-01370-w>.

---

✉ Ataollah Kalantari Osgouei  
akalantari@bilkent.edu.tr

<sup>1</sup> Department of Physics, Bilkent University, 06800 Ankara, Turkey

<sup>2</sup> NANOTAM- Nanotechnology Research Center, Bilkent University, Ankara 06800, Turkey

<sup>3</sup> Department of Electrical and Electronics Engineering, Bilkent University, Ankara 06800, Turkey

<sup>4</sup> Faculty of Physics, Adam Mickiewicz University, 61-614 Poznan, Poland

<sup>5</sup> UNAM-Institute of Materials Science and Nanotechnology, Bilkent University, Ankara, Turkey